



中国认可
国际互认
检测
TESTING
CNAS L0139

Test Report

Number: SHAH00631641

Applicant: NINGBO VIGA INTERNATIONAL CO.,LTD
20F, 588 CANGHAI ROAD, NINGBO, ZHEJIANG
CHINA.
Attn: AMY

Date: 03 Mar, 2016

Sample Description:

One (1) set of submitted sample said to be :
 Item Name : **Activity Farm/Activity House.**
 Item No. : **VG50533(50533)/VG59485(59485).**
 Quantity : 1 Set.
 Labelled Age Group : Activity Farm: Not Specified;
Activity House: Ages 2+.
 Packaging Provided By Applicant : Activity Farm: No;
Activity House: Yes.
 Country Of Origin : China.

Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

Conclusion:

| <u>Tested Samples</u> | <u>Standard</u> | <u>Result</u> |
|-----------------------|--|---------------|
| Submitted Sample Sets | EN71-1: 2014 for Mechanical And Physical Properties | Pass |
| | EN71-2: 2011+A1: 2014 Flammability Test | Pass |
| | U.S. ASTM F963-11 - Physical And Mechanical Tests | Pass |
| | U.S. ASTM F963-11 - Flammability Test of Materials Other Than Textile Materials | Pass |

To be continued

Prepared And Checked / Authorized
By:
For Intertek Testing Services Ltd.,
Shanghai

Jacky Lin
Toy Lab Manager



Tests Conducted

1 Mechanical and Physical Test

As Per European Standard on Safety of Toys EN71-1: 2014.

Applicant's Specified Age Group for Testing: For ages 18 months and up

| | | |
|---|---------|-----------------|
| The submitted samples were undergone the following abuse tests: | | |
| Test | Clause | Parameter |
| Torque Test | 8.3 | 0.34 Nm |
| Tension Test | 8.4.2.1 | 90 N |
| Drop Test | 8.5 | 850 mm x 5times |
| Impact Test | 8.7 | 1 kg |
| Compression Test | 8.8 | 110 N |
| Soaking Test | 8.9 | -- |

| Clause | Testing Items | Assessment |
|--------|--|------------|
| 4 | General Requirements | |
| 4.1 | Material Cleanliness | P |
| 4.2 | Assembly | NA |
| 4.3 | Flexible Plastic Sheeting | NA |
| 4.4 | Toy Bags | NA |
| 4.5 | Glass | NA |
| 4.6 | Expanding Materials | NA |
| 4.7 | Edges | P |
| 4.8 | Points and Metallic Wires | P |
| 4.9 | Protruding Parts | NA |
| 4.10 | Parts Moving Against Each Other | NA |
| 4.11 | Mouth Actuated Toys and Other Toys Intended to be Put in the Mouth | NA |
| 4.12 | Balloons | NA |
| 4.13 | Cords of Toy Kites and Other Flying Toys | NA |
| 4.14 | Enclosures | NA |
| 4.15 | Toys Intended to Bear the Mass of a Child | NA |
| 4.16 | Heavy Immobile Toys | NA |
| 4.17 | Projectiles | NA |
| 4.18 | Aquatic Toys and Inflatable Toys | NA |
| 4.19 | Percussion Caps Specifically Designed for Use in Toys and Toys Using Percussion Caps | NA |
| 4.20 | Acoustics | NA |
| 4.21 | Toys Containing Non-Electrical Heat Source | NA |
| 4.22 | Small Balls | NA |
| 4.23 | Magnets | NA |
| 4.24 | Yo-yo Balls | NA |
| 4.25 | Toys Attached to Food | NA |

Tests Conducted

| Clause | Testing Items | Assessment |
|--------|---|------------|
| 5 | Toys intended for Children under 36 Months | |
| 5.1 | General Requirements | P |
| 5.2 | Soft-filled Toys and Soft-filled Parts of a Toy | NA |
| 5.3 | Plastic Sheeting | NA |
| 5.4 | Cords, Chains and Electrical Cables in Toys | NA |
| 5.5 | Liquid-Filled Toys | NA |
| 5.6 | Speed Limitation of Electrically-driven Ride-on Toys | NA |
| 5.7 | Glass and Porcelain | NA |
| 5.8 | Shape and Size of Certain Toys | NA |
| 5.9 | Toys Comprising Monofilament Fibres | NA |
| 5.10 | Small Balls | NA |
| 5.11 | Play Figures | NA |
| 5.12 | Hemispheric-shaped Toys | NA |
| 5.13 | Suction Cups | NA |
| 5.14 | Straps Intended to be Worn Fully or Partially Around the Neck | NA |
| 6 | Packaging | NA |
| 7 | Warnings, Markings and Instructions for Use | |
| 7.1 | General | NA |
| 7.2 | Toys Not Intended for Children under 36 Months | NA |
| 7.3 | Latex Balloons | NA |
| 7.4 | Aquatic Toys | NA |
| 7.5 | Functional Toys | NA |
| 7.6 | Hazardous Sharp Functional Edges and Points | NA |
| 7.7 | Projectiles | NA |
| 7.8 | Imitation Protective Masks and Helmets | NA |
| 7.9 | Toy Kites | NA |
| 7.10 | Roller skates, Inline skates, Skateboards and Certain other ride-on Toys | NA |
| 7.11 | Toys Intended to be Attached to Strung Across a Cradle, Cot, or Perambulator | NA |
| 7.12 | Liquid-filled Teethers | NA |
| 7.13 | Percussion Caps Specifically Designed for Use in Toys | NA |
| 7.14 | Acoustics | NA |
| 7.15 | Toy Bicycles | NA |
| 7.16 | Toys Intended to Bear the Mass of a Child | NA |
| 7.17 | Toys Comprising Monofilament Fibres | NA |
| 7.18 | Toy Scooters | NA |
| 7.19 | Rocking Horses and Similar Toys | NA |
| 7.20 | Magnetic/Electrical Experimental Sets | NA |
| 7.21 | Toys with Electrical Cables Exceeding 300 mm in Length | NA |
| 7.22 | Toys with Cords or Chains Intended for Children of 18 Months and over but under 36 Months | NA |

Remark: P = Pass

NA = Not Applicable



中国认可
国际互认
检测
TESTING
CNAS L0139

Number: SHAH00631641

Test Report

Tests Conducted

Remark: Additional information according to the Toy Safety Directives 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard requirements:

1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

- All the above markings were not found.

Date Sample Received: Dec.14, 2015 & Dec.29, 2015 & Feb.1, 2016 & Mar.2, 2016

Testing Period: Dec.14, 2015 To Mar.3, 2016

2 Flammability Test

As per European Standard on Safety of Toys EN71-2: 2011+A1: 2014

| <u>Clause</u> | <u>Testing Items</u> | <u>Assessment</u> |
|---------------|---|-------------------|
| 4.1 | General | P |
| 4.2 | Toys to be Worn on the Head | NA |
| 4.3 | Toy Disguise Costumes and Toys Intended to be Worn by a Child in Play | NA |
| 4.4 | Toys Intended to be Entered by a Child | NA |
| 4.5 | Soft Filled Toys | NA |

Remark : P = Pass NA = Not Applicable

Date Sample Received: Dec.14, 2015 & Dec.29, 2015

Testing Period: Dec.14, 2015 To Dec.30, 2015

To be continued

Tests Conducted

3 Physical and Mechanical Tests

As per ASTM Standard Consumer Safety Specification for Toy Safety F963-11.

Applicant's Specified Age Group for Testing: For ages 18 months and up

| | | |
|---|--------------------|------------------|
| The submitted samples were undergone the use and abuse tests in accordance with the Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations: - | | |
| <u>Test</u> | <u>FHSA</u> | <u>Parameter</u> |
| Impact Test | Section 1500.53(b) | 4 x 3.0 ft |
| Torque Test | Section 1500.53(e) | 4 in-lbf |
| Tension Test | Section 1500.53(f) | 15 lbf |
| Compression Test | Section 1500.53(g) | 30 lbf |

| <u>Section</u> | <u>Testing Items</u> | <u>Assessment</u> |
|----------------|--|-------------------|
| 4.1 | Material Quality (Visual Check on Cleaningless) | P |
| 4.3.7 | Stuffing Material (Visual Check on Contaminations) | NA |
| 4.5 | Sound-Producing Toys | NA |
| 4.6.1 | Toys Intended for Children under 36 Months (Small Objects) | P |
| 4.6.2 | Mouth-Actuated Toys | NA |
| 4.6.3 | Toys And Games for 36 Months to 72 Months (Small Part Warning) | NA |
| 4.7 | Accessible Edges | P |
| 4.8 | Projections | NA |
| 4.9 | Accessible Points | P |
| 4.10 | Wires Or Rods | NA |
| 4.11 | Nails And Fasteners | P |
| 4.12 | Plastic Film | NA |
| 4.13 | Folding Mechanisms and Hinges | NA |
| 4.14 | Cords, Straps, and Elastics | NA |
| 4.15 | Stability and Over-Load Requirements | NA |
| 4.16 | Confined Spaces | NA |
| 4.17 | Wheels, Tires and Axles | NA |
| 4.18 | Holes, Clearance, and Accessibility of Mechanisms | NA |
| 4.19 | Simulated Protective Devices | NA |
| 4.20 | Pacifiers | NA |
| 4.21 | Projectile Toys | NA |
| 4.22 | Teethers and Teething Toys | NA |
| 4.23 | Rattles | NA |
| 4.24 | Squeeze Toys | NA |
| 4.25 | Battery-Operated Toys | NA |
| 4.26 | Toys Intended to be Attached to a Crib or Playpen | NA |
| 4.27 | Stuffed and Beanbag-Type Toys | NA |
| 4.28 | Stroller and Carriage Toys | NA |
| 4.29 | Art Materials | NA |



中国认可
国际互认
检测
TESTING
CNAS L0139

Number: SHAH00631641

Test Report

Tests Conducted

| <u>Section</u> | <u>Testing Items</u> | <u>Assessment</u> |
|----------------|---|-------------------|
| 4.30 | Toy Gun Marking | NA |
| 4.31 | Balloons | NA |
| 4.32 | Certain Toys with Spherical Ends | NA |
| 4.33 | Marbles | NA |
| 4.34 | Balls | NA |
| 4.35 | Pompoms | NA |
| 4.36 | Hemispheric-Shaped Objects | NA |
| 4.37 | Yo Yo Elastic Tether Toys | NA |
| 4.38 | Magnets | NA |
| 4.39 | Jaw Entrapment in Handles and Steering Wheels | NA |
| 5 | Labelling Requirement | NA |
| 6 | Instructional Literature | NA |
| 7 | Producer's Markings | #1 |
| | - Name of Producer/Distributor | No |
| | - Address | No |

Remark: The submitted samples were undergone the tests in accordance with Section 8.5 through Section 8.18 and 8.20 through 8.25 on normal use, abuse and specific tests for different types of toys whichever is applicable.

P = Pass; NA = Not Applicable

#1 = The final product or its packaging must be marked with the name and address of the producer or distributor as specified in section 7.1 of U.S. ASTM F963.

Date Sample Received: Dec.14, 2015 & Dec.29, 2015 & Feb.1, 2016 & Mar.2, 2016

Testing Period: Dec.14, 2015 To Mar.3, 2016

4 Flammability Test

As per section 4.2 of the ASTM Standard Consumer Safety Specification On Toy Safety F963-11.

Result = Ignited But Self-Extinguished before Burn Rate Could be Determined

Date Sample Received: Dec.14, 2015 & Dec.29, 2015

Testing Period: Dec.14, 2015 To Dec.30, 2015

To be continued

Test Report

Tests Conducted



To be continued

Tests Conducted



To be continued

Tests Conducted



To be continued

Tests Conducted

*****
End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.