





Test Report No.: NBHG1511009427TY Page 1 of 3 Date: NOV 10, 2015

NINGBO VIGA INTERNATIONAL CO., LTD 20F, 588 CANGHAI ROAD, NINGBO, CHINA

The following samples were submitted and identified by/on behalf of the client as:

Sample Description : SPINNING TOP 12PCS/DISPLAY / SPINNING TOP 12PCS/DISPLAY

Sample Quantity 2 SETS

Style / Item No. VG53906 (53906) /VG54276(54276)

Country of Origin : CHINA Labeled Age Grading : 3+ AGES Requested Age Grading : 3+ YEARS Age Group Applied in Testing 3+ YEARS Age Group Assessed As Per Age : 3+ YEARS

Guideline

Sample Receiving Date : NOV 04, 2015

Testing Period : NOV 04, 2015 TO NOV 10, 2015

Test Requested Result ASTM F963-11 Standard Consumer Safety Specification for Toy Safety(As per client's **Pass**

request, exclude Clause 4.3 toxicology)

******** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *************

Signed for and on behalf of

SGS-CSTC Standards Technical Services Co., Ltd. Ningbo Branch

Sarah Li

Approved Signatory







Test Report No.: NBHG1511009427TY Date: NOV 10, 2015 Page 2 of 3

Result:

ASTM F963-11 STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY

AS SPECIFIED IN ASTM F963-11 STANDARD CONSUMER SAFETY SPECIFICATION ON TOYS **SAFETY**

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	<u>Result</u>
4	Safety Requirements	
4.1	Material Quality **	<u>Pass</u>
4.2	Flammability Test	Pass (See Detail of
		test result)
4.3	Toxicology	N/C
4.7	Accessible Edges	<u>Pass</u>
4.9	Accessible Points	<u>Pass</u>
5	Safety Labeling Requirements	
5.2	Age Grading Labeling	<u>Pass</u>
5.16	Promotional Materials	<u>Pass</u>
7	Producer's Markings	
7.1	Producer's Markings	<u>Pass</u>
8.5	Normal Use Testing	<u>Pass</u>
8.7	Impact Test	<u>Pass</u>
8.8	Torque Test	<u>Pass</u>
8.9	Tension Test	<u>Pass</u>

N/C = Not conduct as per client's request

** Visual Examination

Detail of test result:

ASTM F963-11, Clause 4.2 - Flammability Test Flammability Test on Solid

Sample Spinning Burning Rate (inch/sec) DNI

Requirement: A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.

DNI = Did Not Ignite

N.B.: - Only applicable clauses were shown.







中国认可 国际互认 **TESTING CNAS L4305**

Test Report Sample Photo:

No.: NBHG1511009427TY Date: NOV 10, 2015 Page 3 of 3





SGS authenticate the photo on original report only

*** End of Report ***