

Test Report No.: NBHL1708014387TY Date: SEP. 01, 2017 Page: 1 of 3

NINGBO VIGA INTERNATIONAL CO., LTD 20F, 588 CANGHAI ROAD, NINGBO, CHINA

The following sample(s) was/were submitted and identified by the client as:

Sample Description : EXTRA-THICK WOODEN PUZZLE/EXTRA-THICK WOODEN

PUZZLE

Sample Quantity : 2 SETS

Style / Item No. : VG56436(56436)/VG56438(56438)

Country of Origin : CHINA Labelled Age Grading : 18M+ Requested Age Grading : 12M+

Age Group Assessed As Per Age : 12+ MONTHS

Guideline

Age Group Applied in Testing : 12+ MONTHS Sample Receiving Date : AUG. 28, 2017

Testing Period : AUG. 28, 2017 TO SEP. 01, 2017

Test Requested Result ASTM F963-16 Standard Consumer Safety Specification for Toy Safety(As per client's Pass

request, exclude Clause 4.3 toxicology)

Signed for and on behalf of

SGS-CSTC Standards Technical Services Co., Ltd. Ningbo Branch

Sarah Li

Authorized Signatory





Test Report No.: NBHL1708014387TY Date: SEP. 01, 2017 Page: 2 of 3

Test Conducted:

ASTM F963-16 STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY

AS SPECIFIED IN ASTM F963-16 STANDARD CONSUMER SAFETY SPECIFICATION ON TOYS SAFETY

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	<u>Result</u>
4	Safety Requirements	
4.1	Material Quality **	<u>Pass</u>
4.2	Flammability Test	Pass (See Detail of
		<u>test result)</u>
4.3	Toxicology	N/C
4.6.1	Small Objects	<u>Pass</u>
4.7	Accessible Edges	<u>Pass</u>
4.9	Accessible Points	<u>Pass</u>
5	Safety Labeling Requirements	
5.2	Age Grading Labeling	<u>Pass</u>
5.16	Promotional Materials	<u>Pass</u>
7	Producer's Markings	
7.1	Producer's Markings	<u>Pass</u>
8.5	Normal Use Testing	<u>Pass</u>
8.7	Impact Test	<u>Pass</u>
8.8	Torque Test	<u>Pass</u>
8.9	Tension Test	<u>Pass</u>

^{**} Visual Examination

N/C = Not conduct as per client's request

Detail of test result:

ASTM F963-16, Clause 4.2 – Flammability Test Flammability Test on Solid

<u>Sample</u>

WOODEN PUZZLE DNI

Requirement: A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.

DNI = Did Not Ignite

N.B.: - Only applicable clauses were shown.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.agox.gom/en/Terms-and-Conditions.agox.gom/en/Terms-and-Conditions.agox.gom/en/Terms-and-Conditions.agox.gom/en/Terms-and-Conditions.gom/en

1-5F West No. 4 Bulding, Linguin Industry Park, No.1177 Linguin Road, Ningto National H-Teich Zine, Ningto, China 315040 t (86—574)877670006 f (86—574)87768122 www.s.gsgroup.com.cn 中国・浙江・宁波市国家高新区皮云路1177号波云产业园4号楼西1-5层 邮编:315040 t (86—574)877670006 f (86—574)87768122 e sgs.china@sgs.com

Burning Rate (inch/sec)



Test Report No.: NBHL1708014387TY Date: SEP. 01, 2017 Page: 3 of 3

Sample Photo:



SGS authenticate the photo on original report only





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms