





Test Report No.: NBHG1511009434TY Page 1 of 3 Date: NOV 10, 2015

NINGBO VIGA INTERNATIONAL CO., LTD 20F, 588 CANGHAI ROAD, NINGBO, CHINA

The following samples were submitted and identified by/on behalf of the client as:

Sample Description : SHAPE SORTING CART

Sample Quantity 1 SET

Style / Item No. VG58583 (58583)

Country of Origin : CHINA Labeled Age Grading : 2+ AGES

Requested Age Grading : 2+

Age Group Applied in Testing 2+ YEARS Age Group Assessed As Per Age : 2+ YEARS

Guideline

Sample Receiving Date : NOV 04, 2015

Testing Period : NOV 04, 2015 TO NOV 10, 2015

Test Requested Result ASTM F963-11 Standard Consumer Safety Specification for Toy Safety(As per client's **Pass**

request, exclude Clause 4.3 toxicology)

******** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *************

Signed for and on behalf of

SGS-CSTC Standards Technical Services Co., Ltd. Ningbo Branch

Sarah Li

Approved Signatory







Test Report No.: NBHG1511009434TY Date: NOV 10, 2015 Page 2 of 3

Result:

ASTM F963-11 STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY

AS SPECIFIED IN ASTM F963-11 STANDARD CONSUMER SAFETY SPECIFICATION ON TOYS SAFETY

Clauses relevant to the item:

Clause	Description	Result
4	Safety Requirements	· · · · · · · · · · · · · · · · · · ·
4.1	Material Quality **	<u>Pass</u>
4.2	Flammability Test	Pass (See Detail of
		test result)
4.3	Toxicology	N/C
4.6	Small Objects	
4.6.1	Small Objects	<u>Pass</u>
4.7	Accessible Edges	<u>Pass</u>
4.9	Accessible Points	<u>Pass</u>
4.14	Cords, Straps and Elastic	<u>Pass</u>
4.17	Wheels, Tires, and Axles	<u>Pass</u>
5	Safety Labeling Requirements	
5.2	Age Grading Labeling	<u>Pass</u>
5.16	Promotional Materials	<u>Pass</u>
7	Producer's Markings	
7.1	Producer's Markings	<u>Pass</u>
8.5	Normal Use Testing	<u>Pass</u>
8.7	Impact Test	<u>Pass</u>
8.8	Torque Test	<u>Pass</u>
8.9	Tension Test	<u>Pass</u>
8.10	Compression Test	<u>Pass</u>

N/C = Not conduct as per client's request

** Visual Examination

Detail of test result:

ASTM F963-11, Clause 4.2 - Flammability Test Flammability Test on Solid

<u>Sample</u> SHAPE SORTING CART Burning Rate (inch/sec)

Requirement: A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.

DNI = Did Not Ignite

N.B.: - Only applicable clauses were shown.

ssued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm for mat documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attentions of reflects the Company's findings at the information contained hereon reflects the Company's findings at the information contained hereon reflects the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction (it their rights) and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company.







Test Report Sample Photo:

No.: NBHG1511009434TY

Date: NOV 10, 2015

Page 3 of 3





SGS authenticate the photo on original report only

*** End of Report ***