

**Test Report** No.: NBHG1506003888TY Date: JUN 18, 2015 Page 1 of 3

NINGBO VIGA INTERNATIONAL CO., LTD 20F, 588 CANGHAI ROAD, NINGBO, CHINA

The following samples were submitted and identified by/on behalf of the client as:

: LACING BLOCKS - FARM, LACING BLOCKS - ZOO, LACING BLOCKS-Sample Description

**TRANSPORTATION** 

Sample Quantity

59548VG, 59549VG, 59851VG Style / Item No.

Country of Origin **CHINA** Labeled Age Grading 3+ AGES Requested Age Grading

Age Group Applied in Testing 3+ YEARS Age Group Assessed As Per Age : 3+ YEARS

Guideline

Sample Receiving Date : JUN 08, 2015 JUN 17, 2015 Further Information Date

**Testing Period** JUN 08, 2015 TO JUN 18, 2015

**Test Requested** Result **Pass** 

ASTM F963-11 Standard Consumer Safety Specification for Toy Safety(As per client's request, exclude Clause 4.3 toxicology)

\*\*\*\*\*\*\*\* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) \*\*\*\*\*\*\*\*\*\*\*\*

Signed for and on behalf of

SGS-CSTC Standards Technical Services Co., Ltd. Ningbo Branch

Sarah Li

Approved Signatory



**Test Report** No.: NBHG1506003888TY Date: JUN 18, 2015 Page 2 of 3

Result:

## ASTM F963-11 STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY

AS SPECIFIED IN ASTM F963-11 STANDARD CONSUMER SAFETY SPECIFICATION ON TOYS **SAFETY** 

Clauses relevant to the item:

Clause	<u>Description</u>	Result
4	Safety Requirements	
4.1	Material Quality **	<u>Pass</u>
4.2	Flammability Test	Pass (See Detail of
		test result)
4.3	Toxicology	N/C
4.7	Accessible Edges	<u>Pass</u>
4.9	Accessible Points	<u>Pass</u>
4.12	Plastic Film	<u>Pass</u>
5	Safety Labeling Requirements	
5.2	Age Grading Labeling	<u>Pass</u>
5.16	Promotional Materials	<u>Pass</u>
7	Producer's Markings	
7.1	Producer's Markings	<u>Pass</u>
8.5	Normal Use Testing	<u>Pass</u>
8.7	Impact Test	<u>Pass</u>
8.8	Torque Test	<u>Pass</u>
8.9	Tension Test	<u>Pass</u>

N/C = Not conduct as per client's request

## Detail of test result:

## ASTM F963-11, Clause 4.2 - Flammability Test Flammability Test on Solid

<u>Sample</u>	Burning Rate (inch/sec)
LACING BLOCKS – FARM	DNI
LACING BLOCKS –ZOO	DNI
LACING BLOCKS-TRANSPORTATION	DNI

Requirement: A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.

DNI = Did Not Ignite

N.B.: - Only applicable clauses were shown.

issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> is format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of itself or and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the title of which in the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction it their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. I alteration's drayer or affaired in the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

I stated the facults shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only

<sup>\*\*</sup> Visual Examination



## **Test Report** Sample Photo:

No.: NBHG1506003888TY

Date: JUN 18, 2015

Page 3 of 3





SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*