





**Test Report** Page 1 of 3 No.: NBHG1511009437TY Date: NOV 18, 2015

NINGBO VIGA INTERNATIONAL CO., LTD 20F, 588 CANGHAI ROAD, NINGBO, CHINA

The following samples were submitted and identified by/on behalf of the client as:

Sample Description : GARAGE

Sample Quantity 1 SET

Style / Item No. VG59690(59690)

Country of Origin **CHINA** Labeled Age Grading 3+ AGES

Requested Age Grading : 3+

Age Group Applied in Testing 3+ YEARS Age Group Assessed As Per Age : 3+ YEARS

Guideline

Sample Receiving Date : NOV 04, 2015 Further Information Date : NOV 17, 2015

**Testing Period** : NOV 04, 2015 TO NOV 18, 2015

Test Requested Result Pass

ASTM F963-11 Standard Consumer Safety Specification for Toy Safety(As per client's request, exclude Clause 4.3 toxicology)

Signed for and on behalf of

SGS-CSTC Standards Technical Services Co., Ltd. Ningbo Branch

Sarah Li

Approved Signatory







**Test Report** No.: NBHG1511009437TY Page 2 of 3 Date: NOV 18, 2015

Result:

## **ASTM F963-11 STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY**

AS SPECIFIED IN ASTM F963-11 STANDARD CONSUMER SAFETY SPECIFICATION ON TOYS SAFETY

Clauses relevant to the item:

Clause	Description	Result
4	Safety Requirements	
4.1	Material Quality **	<u>Pass</u>
4.2	Flammability Test	Pass (See Detail of
	·	test result)
4.3	Toxicology	N/C
4.7	Accessible Edges	<u>Pass</u>
4.9	Accessible Points	<u>Pass</u>
4.17	Wheels, Tires, and Axles	<u>Pass</u>
5	Safety Labeling Requirements	
5.2	Age Grading Labeling	<u>Pass</u>
5.3	Safety Labeling Requirements	<u>Pass</u>
5.8	Toys Intended to be Assembled by an Adult	<u>Pass</u>
6	Instructional Literature	
6.1	Definition and Description	<u>Pass</u>
6.4	Toys Intended to be Assembled by an Adult	<u>Pass</u>
7	Producer's Markings	
7.1	Producer's Markings	<u>Pass</u>
8.5	Normal Use Testing	<u>Pass</u>
8.7	Impact Test	<u>Pass</u>
8.8	Torque Test	<u>Pass</u>
8.9	Tension Test	<u>Pass</u>
8.10	Compression Test	<u>Pass</u>

\*\* Visual Examination N/A = Not Applicable

Detail of test result:

## ASTM F963-11, Clause 4.2 - Flammability Test Flammability Test on Solid

<u>Sample</u> Burning Rate (inch/sec) **GARAGE** DNI

Requirement: A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.

DNI = Did Not Ignite

N.B.: - Only applicable clauses were shown.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic Format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, independing and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its jurisdiction and the individual properties to a transaction from expressing all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. the companyons under the transaction occuments. This document cannot be reproduced except in full, without prior written approval of the Company drigers or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Some in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only







中国认可 国际互认 **TESTING CNAS L4305** 

**Test Report** No.: NBHG1511009437TY Page 3 of 3 Date: NOV 18, 2015

## Sample Photo:





SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*